


Corporation Street
46' Public R/W



LINE TABLE: STORM WATER DRAINAGE EASEMENT

LINE	BEARING	DISTANCE
L1	S 33°39'59" E	25.06'
L2	S 02°28'00" W	45.74'
L3	S 02°28'00" W	45.76'

CURVE TABLE: STORM WATER DRAINAGE EASEMENT

CURVE	RADIUS	ARC LENGTH	CHORD LENGTH	CHORD BEARING	DELTA ANGLE
C1	3.00'	2.12'	2.08'	S 17°47'38" E	40°31'17"
C2	22.00'	14.00'	13.77'	S 15°45'59" E	36°27'59"


THIS PLAN, ORIGINALLY RECORDED IN PLAT BOOK 195, PAGE 130-131 IS TO REVISE NOTES ONLY. ALL SIGNALURES AND NOTES ON THE ORIGINAL PLAT REMAIN VALID.

I, Jeffrey P. Williams certify that this plat was drawn under my supervision from an actual survey performed under my supervision (references as shown), any boundaries not surveyed are clearly indicated as drawn from references shown and/or drawn with a broken line; that the Global Positioning System (GPS) observations were performed to the Geospatial Positioning Accuracy Standards, Part 2; Standards for Geodetic Networks Kinematic and traditional traverse.

That this plat was prepared in accordance with G.S. 47-30 as amended.

That this plat meets the requirement of G.S. 47-30 section F-11-c(1). That the survey is of an existing parcel or parcels of land and does not create a new street or change an existing street.

Witness my original signature and seal this the 2nd day of May 2017.



LEGEND

Existing

- Water Valve
- Curb Inlet/Catch Basin
- Sanitary Sewer Manhole
- Fire Hydrant
- Water Meter
- Water Mainline
- Utility Pole
- Fired End Section
- Existing Iron Pipe
- Concrete Monument
- PK Nail
- Fence
- Underground Electric
- Underground Gas Line
- Water Line
- Overhead Electric

